

IDENTITY: AQUAFIN-2K/M (Component-A – Powder) MSDS No. 1.1.3.A

Date prepared: AUGUST 03, 2009
Date revised: AUGUST 07, 2012

MSDS No.1.1.3.A

Section 01 - Product Identification

IDENTITY: As Used on Label and List: AQUAFIN-2K/M (GRAY or WHITE)

Component – A (Powder)

Chemical Characterization: Cement – Preparation

Product Use Description: Coating

AQUAFIN, INC. Emergency Phone No. (800) 394-1410 505 BLUE BALL RD. #160 Information Phone No. (410) 392-2300 ELKTON, MD 21921

Section 02 - Composition/Information on Hazardous Ingredients

Hazardous Components	CAS No.	TLV	PEL	Weight %
Portland Cement	65997-15-1	10 mg/m ³	5 mg/m ³	25 – 60
Crystalline Quartz Silica	14808-60-7	0.05 mg/m ³	0.1 mg/m ³	40 - 75

Section 03 - Hazards Identification

(Hazard Rating: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe; * = Chronic)

HMIS [®] - Rating		
HEALTH	1	
FLAMMABILITY	0	
PHYSICAL HAZARD	1	
PERSONAL PROTECTION	В	

Hazard Designation



Xi Irritant

WHMIS Class: D2B E

Potential Health Effects of Overexposure

Inhalation: High dust concentration can be irritating to respiratory system; coughing and labored breathing.

possible temporary but reversible irritation in mucous membranes and respiratory tract.

Ingestion: Irritating to mouth, throat and stomach. Rinse mouth vigorously and drink plenty of water. Do

not induce vomiting. Consult a physician.

Skin Contact: Can cause slight to moderate irritation. In combination with water, repeated or prolonged dermal

exposure can cause moderate to severe alkali burns.

Eye Contact: Can cause severe irritation, redness, tearing and blurred vision. Prolonged or repeated contact

can cause burns and possibly corneal injury.

Chronic Exposure: This product contains Crystalline (quartz) Silica which has been listed as a human

carcinogen by NTP (Group 1) and IARC (Human Carcinogen) and a Suspected Human Carcinogen by ACGHIH (Category A2). Repeated or prolonged over exposure to free respirable Crystalline (quartz) Silica or silica can cause silicosis or other delayed and

serious lung injury.

Section 04 - First Aid Measures

After Inhalation: Remove subject to fresh air. Administer oxygen if difficulty with breathing. Consult a physician.

IDENTITY: AQUAFIN-2K/M (Component-A – Powder) MSDS No. 1.1.3.A

After Ingestion: Immediately seek medical attention. Do not induce vomiting without medical advice. If conscious

drink plenty of water.

After Skin Contact: Instantly wash skin with plenty of soap and water for at least 15 minutes. Wash clothing before

reuse. Seek medical attention if symptoms persist.

After Eye Contact: Rinse opened eye with plenty of running water for at least 15 minutes, lifting upper and lower

eyelids occasionally. Consult physician.

Section 05 – Fire Fighting Measures

Flash Point: Not combustible.

Autoignition: N/A (Not Applicable)

Extinguishing Media: Carbon dioxide (CO₂), extinguishing powder, water fog, alcohol-resistant

foam.

Special Fire Fighting Procedures: As in any fire, wear full protective gear and NIOSH-approved self-

contained breathing apparatus with full face-piece operated in the

pressure demand or other positive pressure mode.

Unusual Fire and Explosion Hazards: No unusual fire or explosion hazards. Material can splatter above 212°F

(100°C).

Section 06 - Accidental Release Measures

Person-related Safety Precautions: Avoid causing dust. Avoid eye and skin contact.

Methods for Cleaning up: Use dry cleanup methods that do not disperse dust into the air. With water

material hydrates to a solid harmless waste. Wear personal protective

equipment. Emergency procedures are not required.

Section 07 – Handling and Storage

Handling: Avoid causing dust. Avoid eye and skin contact. Keep out of reach of children.

Storage: Store in a cool, dry enclosed area off the ground in tightly closed containers. No special measures

required against explosion and fires. Store away from foodstuffs.

Section 08 – Exposure Controls / Personal Protection

Engineering Controls: Use with adequate general and local exhaust ventilation.

Washing of the skin in the working area must be possible.

Eye-wash bottle must be available.

Respiratory Protection: Wear a properly fitted NIOSH approved respirator in poorly ventilated areas and/or if

high dust concentrations are encountered.

Skin Protection: When installing, wear appropriate protective rubber or plastic gloves to prevent

hand-skin exposure. Wear appropriate impervious clothing to prevent skin

exposure (long sleeve shirt and long pants).

Eye Protection: Wear tightly sealed safety glasses with side shields or goggles. Face shield as

necessary.

Work/Hygienic Practices: Wash hands before breaks and after work, and before eating, drinking or

smoking.



IDENTITY: AQUAFIN-2K/M (Component-A - Powder) MSDS No. 1.1.3.A

Section 09 – Physical and Chemical Properties

Physical State: Powder

Appearance/Color: Cement gray or white

Odor: Odorless
Solubility in water: Miscible
Boiling Point: N/A
Melting Point: N/A

Bulk Density: approx. 1.46 kg/dm³

pH: 11 - 13.5 VOC Concentration: 0 g/l

Section 10 – Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures.

Conditions to Avoid: Avoid contact with humidity. Product hydrates (hardens) and becomes

unusable.

Hazardous Decomposition Products: No decomposition if used according to specifications.

Hazardous Polymerization: Will not occur.

Incompatibilities: None known.

Section 11 – Toxicological Information

Acute Inhalation Toxicity:

<u>Product</u> <u>Type</u> <u>Value</u>

Silica, crystalline quartz LC50 no data available Portland cement LC50 no data available

Acute Oral Toxicity:

Silica, crystalline quartz LC50 (Oral) 1,300 mg/kg Portland cement LC50 (Oral) 2,000 mg/kg

Acute Dermal Toxicity

Silica, crystalline quartz LC50 (Dermal) no data available Portland cement LC50 (Dermal) no data available

Primary Irritant Effect:

On the skin: Irritant for skin and mucous membranes

On the eve: Irritant effect

Sensitization: No sensitizing effect known.

Section 12 – Ecological Information

Ecological Information:The unused product is slight water pollutant. Large quantities may be toxic to fish. Do

not allow undiluted product or large quantities to reach into waterways or drains.

Section 13 – Disposal Considerations

Waste Disposal Method: Dispose of in a manner consistent with federal, state and local regulations.

IDENTITY: AQUAFIN-2K/M (Component-A – Powder) MSDS No. 1.1.3.A

Section 14 – Transport Information

RCRA Hazard Class: Non-hazardous.

DOT (Domestic Surface) Hazard Class or Division: Not regulated Not regulated IMO (Ocean) Hazard Class or Division: Not regulated Not regulated.

Section 15 – Regulatory Information

SARA 311/312 (RTK): Hazard Categories: Acute Health: YES

Chronic Health: YES

SARA Section 313 Notification: This product does not contain any ingredients regulated under Section

313 of the Emergency Planning and Community Right-to-Know Act of

1986 or CFR 372.

CERCLA: No CERCLA chemicals exist in this product above reportable

concentrations.

California Proposition 65: Warning – This product contains a chemical known to the State of

California to cause cancer, birth defects, or other reproductive harm:

CAS 14808-60-7: Silica, crystalline quartz.

TSCA Section 12(b) Export Notification: There are no reportable TSCA 12(b) Chemicals in this product.

Section 16 – Other Information

DISCLAIMER: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, expressed or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.

END OF MSDS (August 7, 2012)